


TMC	
Traffic Management Crew	

NOTES:

- A) ALL INFORMATION CONTAINED IN THIS TTM DRAWING SHOULD BE CHECKED AGAINST THE EXISTING ROAD GEOMETRY TO ENSURE THAT THIS TRAFFIC MANAGEMENT DRAWING IS AS PER CURRENT CONDITIONS
- B) THE TRAFFIC MANAGEMENT CONTRACTOR IS REQUIRED TO HAVE CARRIED OUT A DYNAMIC ON-SITE RISK ASSESSMENT PRIOR TO THE INSTALLATION OF THIS TTM DRAWING TO ENSURE THAT THE CONDITIONS REFLECT THOSE CONSIDERED FOR THE DEPOIL
- C) ALL TTM WORKS ARE TO BE CARRIED OUT IN ACCORDANCE WITH GOVERNING BODY AND LOCAL AUTHORITY REQUIREMENTS AND BE INCLUDED IN THE SAFETY & HEALTH PLAN
- D) THIS TTM DRAWING HAS BEEN DRAFTED AS PER THE PARAMETERS SET OUT IN DTTAS CHAPTER 8 OF THE TRAFFIC SIGNS MANUAL TEMPORARY TRAFFIC MEASURES AND SIGNS FOR ROADWORKS 2019 FOR LEVEL 1 ROADS ONLY. AND AS SUCH IS NOT INTENDED TO BE USED ON ANY OTHER CLASSIFICATION OF ROAD.
- E) THIS SITE SPECIFIC TRAFFIC MANAGEMENT DRAWING APPLIES ONLY TO THE LOCATION, PROJECT TYPE AND GEOMETRY OF THE ROAD OF WHICH IS SPECIFIED.
- F) ANY REPRODUCTION OR COPYING OF THIS DOCUMENT IS
- G) THIS TTM DRAWING IS ONLY TO BE INSTALLED WHEN TRAFFIC COUNTS HAVE BEEN TAKEN AND RESULT IN THE APPROPRIATE LIMITS SET OUT IN DTTAS TSM CHAPTER 8.
- THE TTM DESIGNER ACCEPTS NO RESPONSIBILITY FOR THE RESULTS WHERE CHAPTER 8, TTM DESIGN GUIDANCE AND TTM OPERATION GUIDANCE HAVE NOT BEEN ADHERED TO IN THEIR ENTIRETY.
- I) ANY ALTERATION OTHER THAN BY THE DESIGNER RENDERS THIS TTM DRAWING AND INFORMATION HEREIN VOID.

CHAPTER 8 - ROAD LEVEL 1(iv): ≤ 60km/h							
Design Parameters	TYPE A >12 hours	TYPE B <12 hours	TYPE C <15 mins				
Advance Warning Signs							
Sign Size (mm)	600	600	-				
Sign Visibility (m)	60	60	50				
No. of Signs	3	2	-				
Cumulative Distance (m)	60	40	-				
Distance between Advance Warning Signs (m)	20	20	-				
Taper							
Lane Taper Rate	1 in 10	1 in 10	-				
Hard Shoulder Taper Rate	1 111110						
Cones							
Cone Height (mm)	750	750	-				
Taper Spacing (m)	3	3	-				
Longitudinal Spacing (m)	6	6	-				
Lamps (unlit areas only)							
Taper Spacing (m)	6	6	-				
Longitudinal Spacing (m)	12	12	-				
Safety Zones							
Longitudinal (m)	15	15	-				
Lateral (m)	0.5	0.5	-				
Lanes (minimum)							
Lane Width (m)	3 (2.5)	3 (2.5)	-				
Two-Way Road Width (m)	5	5	-				



- DIVERSION ROUTE


KEY

- TEMPORARY TRAFFIC SIGN
- TRAFFIC CONES

- SAFETY ZONE

- WORKS AREA
- PEDESTRIAN BARRIERS

- PEDESTRIAN ROUTE





TITLE:

SECTION 3 - ROAD CLOSURE

SCALE AT A3:	DATE:	DRAWN:	CHECKED:
NTS	26/10/2024	TM	VS
DRAWING NO:	REVISION:		
DN 2024-003-031	0		